



## 3 Ton 5 Ton Gasoline Gas LPG Forklift Goodsense Carretilla Elevadora Propane Forklifts

## **Basic Information**

Place of Origin: China
Brand Name: Goodsense
Model Number: FG30
Minimum Order Quantity: Negotiable
Price: Negotiable
Packaging Details: Bare packaging
Delivery Time: 30-40work days

• Payment Terms: T/T



## **Product Specification**

Model Number: FG30Rated Loading Capacity: 3 TON

• Core Components: Motor, Pump, Gearbox, Engine

Weight (KG): 4300 Kg
 Fork Length: 1070mm
 Fork Width: 125mm

• Overall Dimensions: 2730\*1225\*2115mm

Max. Gradeability: 20%
Place Of Origin: China
Brand Name: Goodsense
Name: Forklift
Condition: New

Energy Supply: Reference Introduction
 Advantage: Small Vibration And Noise
 Highlight: Ipg forklift goodsense,



Product Description	
Advantages	

Power Type	
Load Centre         mm         500         500           Lift Height         mm         3000         3000           Fork Size         L×W×T         mm         1070×125×45         1070×125×50           Mast Tilt Angle         F/R         Deg         6°/12°         6°/12°           Front Overhang (Wheel center to fork face)         mm         480         485           Ground Clearance(Bottom of mast)         mm         140         140           Overall Dimension         Length to face of fork(Without fork)         mm         2730         2775           Mast Lowered Height         mm         1225         1225           Mast Lowered Height         mm         2115         2115           Mast Extended Height (With backrest)         mm         4150         4150           Overhead Guard Height         mm         2090         2090	ne
Lift Height         mm         3000         3000           Fork Size         L×W×T         mm         1070×125×45         1070×125×50           Mast Tilt Angle         F/R         Deg         6°/12°         6°/12°           Front Overhang (Wheel center to fork face)         mm         480         485           Ground Clearance(Bottom of mast)         mm         140         140           Overall Dimension         Length to face of fork(Without fork)         mm         2730         2775           Overall Width         mm         1225         1225           Mast Lowered Height         mm         2115         2115           Mast Extended Height (With backrest)         mm         4150         4150           Overhead Guard Height         mm         2090         2090	
Fork Size         L×W×T         mm         1070×125×45         1070×125×50           Mast Tilt Angle         F/R         Deg         6°/12°         6°/12°           Front Overhang (Wheel center to fork face)         mm         480         485           Ground Clearance(Bottom of mast)         mm         140         140           Overall Dimension         Length to face of fork(Without fork)         mm         2730         2775           Mast Lowered Height         mm         1225         1225           Mast Lowered Height         mm         2115         2115           Mast Extended Height (With backrest)         mm         4150         4150           Overhead Guard Height         mm         2090         2090	
Mast Tilt Angle         F/R         Deg         6°/12°         6°/12°           Front Overhang (Wheel center to fork face)         mm         480         485           Ground Clearance(Bottom of mast)         mm         140         140           Overall Dimension         Length to face of fork(Without fork)         mm         2730         2775           Overall Width         mm         1225         1225           Mast Lowered Height         mm         2115         2115           Mast Extended Height(With backrest)         mm         4150         4150           Overhead Guard Height         mm         2090         2090	
Front Overhang (Wheel center to fork face)         mm         480         485           Ground Clearance(Bottom of mast)         mm         140         140           Overall Dimension         Length to face of fork(Without fork)         mm         2730         2775           Overall Width         mm         1225         1225           Mast Lowered Height         mm         2115         2115           Mast Extended Height(With backrest)         mm         4150         4150           Overhead Guard Height         mm         2090         2090	
face)           Ground Clearance(Bottom of mast)         mm         140         140           Overall Dimension         Length to face of fork(Without fork)         mm         2730         2775           Overall Width         mm         1225         1225           Mast Lowered Height         mm         2115         2115           Mast Extended Height(With backrest)         mm         4150         4150           Overhead Guard Height         mm         2090         2090	
Overall Dimension         Length to face of fork(Without fork)         mm         2730         2775           Overall Width         mm         1225         1225           Mast Lowered Height         mm         2115         2115           Mast Extended Height(With backrest)         mm         4150         4150           Overhead Guard Height         mm         2090         2090	
Dimension   fork(Without fork)	
Mast Lowered Height         mm         2115         2115           Mast Extended Height(With backrest)         mm         4150         4150           Overhead Guard Height         mm         2090         2090	
Mast Extended mm 4150 4150  Height(With backrest) mm 2090 2090  Height	
Height(With backrest)  Overhead Guard mm 2090 2090  Height	
Height	
Turning Radius (outside) mm 2440 2480	
Speed Travel (Empty load) km/h 20 20	
Lifting (Full load) mm/s 510 440	
Max.Gradeability (No load/Full load) % 20 20	
Tire Front mm 28×9-15-12PR 28×9-15-12PR	ł
Rear mm 6.50-10-10PR 6.50-10-10PR	



Taizhou Ruidong Import and Export Co., Ltd



18367688514





Room 606, East Building 3, Tengda Center, Jiaojiang District, Taizhou, Zhejiang, China